State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-108-21 Relating to Certification of New Heavy-Duty Engines and Vehicles

DEERE POWER SYSTEMS GROUP OF DEERE & COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Deere Power Systems Group of Deere & Company diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG)

Engine Family		Displacement Cubic Inches)	Exhaust Emission Control Systems and Special Features			
YJDXH08.1003 (450CNG)	8.1	(497)	Engine Control Module Turbocharger Charge Air Cooler Oxygen Sensor			

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in gram per brake horsepower-hour:

Non-Methane	Carbon	Nitrogen	<u>Particulates</u>
Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	
1.2	15.5	2.5	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Non-Methane	Carbon	Nitrogen	<u>Particulates</u>
Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	
0.4	1.8	2.2	0.02

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standards pursuant to Title 13, California Code of Regulations, Section 1956.8(a)(1).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this __/O day of January 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

Engine Model Suf nary Form

Manufacturer; Deere Power Systems Group of Deere & Company

Engine category: On-highway HDDE

EPA Engine Family: YJDXH08.1003

Mfr Family Name: 450CNG

Process Code: New Submission

												4 1	108-	ay.
0	<u>√</u>	च	T T					·				· · · · · · · ·		
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	ECM,025,7C,CAB	Ecm,035 70,040							1,44		-			1
ρΩ Ā	5	5												
ar S.	5,7	Š												
miss e Pe	2	60.												
9.E evic	3	7												
٥	B	Z												
. D	0	0					*							
Zate ak to	35	35			2		0 4 143							
uell Pape	64@1350	61@1350												
8.E	6	တ်												
a				-					770					
¥														
r. ruel nate. mm/stroke@peak torque	1											F		
troke@														
/strc														
` E										1				
P.	9	Q			4577) 11664									
6.Torque @ RPM (SEA Gross)	800@1350	135		1.2										
A G	00	50												
Torc (SE	8	74						la i		i.,				, :::
Ó									1.55		No.	[No.		
Δ.												3.5		
¥ 5	8	8												
pec els (22	22(홋) ·			i ita si								
r) (g) dies	84@2200	84@2200												
(lbs/hr) @ peak HP (for diesels only)	ω	α				<u> </u>			23.3					İ
λ H														
peal only	.		19 'N						1.44 / 1607 1					
Vstroke @ pea (for diesel only														
r de k							180							
mm/stroke @ pea (for diesel only			4						3					
=	:						2.5							
∑ ∻	Q	0												
⊕RP ìross	220	220												
를 하 6.6.6	225@2200	250@2200												
3.BHP@RPM (SAE Gross)	ଷ	25						4						
							1							
<u>0</u>	: :													
2.Engine Model		_											: !	
e l	6081H	81F					ļ.							
ngi:	õ	<u> </u>						i		;			-	
Z. EL												: }		
			E a trade			-								
ğ	<	<u>m</u>		<u> </u>									:	
ပိ	5	5												
jine	于	É.												
1.Engine Code	6081HFN01A	381	i	:		: 1						.		
-	8	9	-											
					L	L	<u></u>				_ <u>i</u>			<u> </u>